Author index

Albani, D., Côte, M.-J., Armstrong, K.C., Chen, Q., Segal, A. and Robert, L.S. *PCR amplification of microdissected wheat chromosome arms in a simple 'single tube' reaction* 899
Albersheim, P. *see* Bellincampi, D.
Albersheim, P. *see* Brady, K.P.
Almoguera, C., Coca, M.A. and Jordano, J. *Tissue-specific expression of sunflower heat shock proteins in response to water stress* 947
Amselem, J. *see* Höfte, H.
Angenent, G.C., Franken, J., Busscher, M., Colombo, L. and van Tunen, A.J. *Petal and stamen formation in petunia is regulated by the homeotic gene* fbp1 101
Apel, K. *see* Staiger, D.
Araki, T. and Komeda, Y. *Flowering in darkness in* Arabidopsis thaliana 801
Argüello-Astorga, G. *see* Guevara-García, A.
Armstrong, K.C. *see* Albani, D.
Ausubel, F.M. *see* Greenberg, J.T.
Ausubel, F.M. *see* Konieczny, A.
Axelos, M. *see* Höfte, H.

Back, E. *see* Rastogi, R.
Baga, M. *see* Michel, D.
Baima, S. *see* Carabelli, M.
Bakó, L. *see* Magyar, Z.
Bao, W. *see* O'Malley, D.M.
Barakate, A. *see* Dubald, M.
Bardet, C. *see* Hofte, H.
Bartels, D. *see* Michel, D.
Barz, W. *see* Harter, K.
Batschauer, A. *A plant gene for photolyase: an enzyme catalyzing the repair of UV-light-induced DNA damage* 705
Beachy, R.N. *see* Bhattacharyya-Pakrasi, M.
Beachy, R.N. *see* Lapidot, M.
Becker, D. *see* Wissenbach, M.
Beckmann, H. *see* Schindler, U.
Bellincampi, D., Salvi, G., De Lorenzo, G., Cervone, F., Marfà, V., Eberhard, S., Darvill, A. and Albersheim, P. *Oligogalacturonides inhibit the formation of roots on tobacco explants* 207
Benhamou, N., Broglie, K., Chet, I. and Broglie, R. *Cytology of infection of 35S-bean chitinase transgenic canola plants by* Rhizoctonia solani: *cytochemical aspects of chitin breakdown in vivo* 295
Bennett, A.B. *see* Chetela, R.T.
Bent, A.F. *see* Innes, R.W.
Berthomieu, P. *see* Höfte, H.
Bhattacharyya-Pakrasi, M., Peng, J., Elmer, J.S., Laco, G., Shen, P., Kaniewska, M.B., Konowicz, H., Wen, F., Hodges, T.K. and Beachy, R.N. *Specificity of a promoter from the rice tungro bacilliform virus for expression in phloem tissues* 71
Bilang, R., Zhang, S., Leduc, N., Iglesias, V.A., Gisel, A., Simmonds, J., Potrykus, I. and Sautter, C. *Transient gene expression in vegetative shoot apical meristems of wheat after ballistic microtargeting* 735
Bisgrove, S.R. *see* Innes, R.W.
Bisseling, T. *see* Horvath, B.
Blée, E. and Schuber, F. *Biosynthesis of cutin monomers: involvement of a lipoxygenase/peroxygenase pathway* 113
Block, A. *see* Torres, J.T.
Bögre, L. *see* Hirt, H.
Bögre, L. *see* Magyar, Z.
Bohnert, H.J. *see* Vernon, D.M.
Boller, T. *see* Felix, G.
Borello, U., Ceccarelli, E. and Giuliano, G. *Constitutive, light-responsive and circadian clock-responsive factors compete for the different I box elements in plant light-regulated promoters* 611
Bouchez, D. *see* Ellis, J.G.
Bowsher, C.G. *see* Rastogi, R.
Boylan, M.T. *see* McCormac, A.C.
Brady, K.P., Darvill, A.G. and Albersheim, P. *Activation of a tobacco glycine-rich protein gene by a fungal glucan preparation* 517
Brearley, C.A. *see* Parmar, P.N.
Brevet, J. *see* Hansen, G.
Brignon, P. and Chaubet, N. *Constitutive and cell-division-inducible protein-DNA interactions in two maize histone gene promoters* 445
Broglie, K. *see* Benhamou, N.
Broglie, R. *see* Benhamou, N.
Brown, J.W.S., Simpson, G.J., Clark, G., Lyon, J., Kumar, A. and Simpson, C. *Detection of antisense transcripts in transgenic plants by RT–PCR* 883
Brugidou, C. *see* Marty, I.
Brugliera, F. *see* Holton, T.A.
Busscher, M. *see* Angenent, G.C.

Caboche, M. *see* Höfte, H.
Cabrera y Poch, H.L., Peto, C.A. and Chory, J. *A mutation in the* Arabidopsis Det*3 gene uncouples photoregulated leaf development from gene expression and chloroplast biogenesis* 671
Cameron-Mills, V. *see* Rechinger, K.B.
Capellades, M. *see* Rigau, J.
Carabelli, M., Sessa, G., Baima, S., Morelli, G. and Ruberti, I. *The* Arabidopsis Athb-2 *and -4 genes are strongly induced by far-red-rich light* 469
Cashmore, A.R. *see* Schindler, U.
Ceccarelli, E. *see* Borello, U.
Cervone, F. *see* Bellincampi, D.
Charpenteau, J.-L. *see* Höfte, H.
Chartier, Y. *see* Marty, I.
Chaubet, N. *see* Brignon, P.
Chaudhury, A.M., Letham, S., Craig, S. and Dennis, E.S. amp1 – *a mutant with high cytokinin levels and altered embryonic pattern, faster vegetative growth, constitutive photomorphogenesis and precocious flowering* 907
Chen, C.-L. *see* O'Malley, D.M.
Chen, Q. *see* Albani, D.
Chet, I. *see* Benhamou, N.
Chetelat, R.T., Klann, E., DeVerna, J.W., Yelle, S. and Bennett, A.B. *Inheritance and genetic mapping of fruit sucrose accumulation in* Lycopersicon chmielewskii 643
Chiapello, H. *see* Höfte, H.
Choi, S.-Y. *see* Schwob, E.
Chory, J. *see* Cabrera y Poch, H.L.
Clark, G. *see* Brown, J.W.S.
Clark, G.B., Memon, A.R., Tong, C.-G., Thompson, G.A. and Roux, S.J. *Phytochrome regulates GTP-binding protein activity in the envelope of pea nuclei* 399
Clérot, D. *see* Hansen, G.
Coca, M.A. *see* Almoguera, C.
Colombo, L. *see* Angenent, G.C.
Cooke, R. *see* Höfte, H.
Côte, M.-J. *see* Albani, D.
Craig, S. *see* Chaudhury, A.M.
Cseplö, A. *see* Flieger, K.

Culianez-Macia, F.A. and Martin, C. *DIP: a member of the MIP family of membrane proteins that is expressed in mature seeds and dark-grown seedlings of* Antirrhinum majus 717
Cutt, J.R. *see* Hennig, J.

da Costa e Silva, O., Klein, L., Schmelzer, E., Trezzini, G.F. and Hahlbrock, K. *BPF-1, a pathogen-induced DNA-binding protein involved in the plant defense response* 125
Dale, P. *see* Michel, D.
Daniels, M.J. *see* Parker, J.E.
Darvill, A. *see* Bellincampi, D.
Darvill, A.G. *see* Brady, K.P.
de Billy, F. *see* Vasse, J.
de Felipe M.R. see Misawa, N.
de Kam R.J. see Memelink, J.
De Lorenzo, G. *see* Bellincampi, D.
de Marcillac, G. *see* Höfte, H.
de Vries, S.C. *see* van Engelen, F.A.
de Waal, A. *see* Meijer, A.H.
Dean, C. *see* Lister, C.
Dean, C. *see* Parker, J.E.
Dedeoğlu, D. *see* Magyar, Z.
Delauney, A.J. and Verma, D.P.S. *Proline biosynthesis and osmoregulation in plants* 215
Delseny, M. *see* Höfte, H.
Dennis, E.S. *see* Chaudhury, A.M.
Dennis, E.S. *see* Ellis, J.G.
Denyer, K., Sidebottom, C., Hylton, C.M. and Smith, A.M. *Soluble isoforms of starch synthase and starch-branching enzyme also occur within starch granules in developing pea embryos* 191
Desprez, T. *see* Höfte, H.
DeVerna, J.W. *see* Chetelat, R.T.
Dewey, R.E. *see* Hennig, J.
Ding, B., Haudenshield, J.S., Willmitzer, L. and Lucas, W.J. *Correlation between arrested secondary plasmodesmatal development and onset of accelerated leaf senescence in yeast acid invertase transgenic tobacco plants* 179
Ding, B. *see* Lapidot, M.
Dixon, R.A. *see* Maxwell, C.A.
Douglas, C.J. *see* Hauffe, K.D.
Drøbak, B.K. *see* Staiger, C.J.
Dubald, M., Barakate, A., Mandaron, P. and Mache, R. *The ubiquitous presence of exopolygalacturonase in maize suggests a fundamental cellular function for this enzyme* 781
Dudits, D. *see* Magyar, Z.

Eberhard, S. *see* Bellincampi, D.
Ellis, J. *see* Lawrence, G.
Ellis, J.G., Tokuhisa, J.G., Llewellyn, D.J., Bouchez, D., Singh, K., Dennis, E.S. and Peacock, W.J. *Does the ocs-element occur as a functional component of the promoters of plant genes* 433
Elmer, J.S. *see* Bhattacharyya-Pakrasi, M.
Estruch, J.J., Granell, A., Hansen, G., Prinsen, E., Redig, P., Van Onckelen, H., Schwarz-Sommer, Z., Sommer, H. and Spena, A. *Floral development and expression of floral homeotic genes are influenced by cytokinins* 379
Eyal, Y., Meller, Y., Lev-Yadun, S. and Fluhr, R. *A basic-type PR-1 promoter directs ethylene responsiveness, vascular and abscission zone-specific expression* 225

Felix, G., Regenass, M. and Boller, T. *Specific perception of subnanomolar concentrations of chitin fragments by tomato cells: induction of extracellular alkalinization, changes in phosphorylation, and establishment of a refractory state* 307
Felle, H.H. *see* Ruck, A.
Ferreira, P.C.G., Hemerly, A.S., Van Montagu, M. and Inze, D. *A protein phosphatase 1 from* Arabidopsis thaliana *restores temperature sensitivity of a* Schizosaccharomyces pombe cdc25^{ts} wee1 – *double mutant* 81
Finnegan, J. *see* Lawrence, G.
Fleck, J. *see* Höfte, H.
Fleming, A.J. *see* Smart, C.C.
Flieger, K., Tyagi, A., Sopory, S., Cseplö, A., Herrmann, R.G. and Oelmüller, R. *A 42 bp promoter fragment of the gene for subunit III of photosystem I (psaF) is crucial for its activity* 9
Fluhr, R. *see* Eyal, Y.
Foley, R.C. *see* Zhang, B.
Franken, J. *see* Angenent, G.C.
Franklin, F.C.H. *see* Franklin-Tong, V.E.
Franklin-Tong, V.E., Ride, J.P., Read, N.D., Trewavas, A.J. and Franklin, F.C.H. *The self-incompatibility response in* Papaver rhoeas *is mediated by cytosolic free calcium* 163
Freyer, R., Hoch, B., Neckermann, K., Maier, R.M. and Kössel, H. *RNA editing in maize chloroplasts is a processing step independent of splicing and cleavage to monocistronic mRNAs* 621
Frommer, W.B. *see* Kwart, M.
Frommer, W.B. *see* Martin, T.
Furner, I.J. and Pumfrey, J.E. *Cell fate in the inflorescence meristem and floral buttress of* Arabidopsis thaliana 917
Furuya, M. *see* Sharma, R.

Gafny, R. *see* Lapidot, M.
Garcia-Maroto, F., Salamini, F. and Rohde, W. *Molecular cloning and expression patterns of three alleles of the* Deficiens-*homologous gene* St-Deficiens *from* Solanum tuberosum 771
García-Olmedo, F. *see* Molina, A.
Gigot, C. *see* Höfte, H.
Giraudat, J. *see* Höfte, H.
Gisel, A. *see* Bilang, R.
Giuliano, G. *see* Borello, U.
Goddijn, O.J.M., Lindsey, K., van der Lee, F.M., Klap, J.C. and Sijmons, P.C. *Differential gene expression in nematode-induced feeding structures of transgenic plants harbouring promoter–gusA fusion constructs* 863
Goodbody, K.C. *see* Staiger, C.J.
Granell, A. *see* Estruch, J.J.
Greenberg, J.T. and Ausubel, F.M. Arabidopsis *mutants compromised for the control of cellular damage during pathogenesis and aging* 327
Greenland, A.J. *see* Rogers, H.J.
Grellet, F. *see* Höfte, H.
Grynkiewicz, G. *see* Hennig, J.
Guerrier, D. *see* Höfte, H.
Guevara-García, A., Mosqueda-Cano, G., Argüello-Astorga, G., Simpson, J. and Herrera-Estrella, L. *Tissue-specific and wound-inducible pattern of expression of the mannopine synthase promoter is determined by the interaction between positive and negative* cis*-regulatory elements* 495

Hahlbrock, K. *see* da Costa e Silva, O.
Hahlbrock, K. *see* Torres, J.T.
Hansen, G., Vaubert, D., Héron, J.N., Clérot, D., Tempe, J. and Brevet, J. *Phenotypic effects of overexpression of* Agrobacterium rhizogenes *T-DNA ORF13 in transgenic tobacco plants are mediated by diffusable factor(s)* 581
Hansen, G. *see* Estruch, J.J.
Hara-Hishimura, I., Takeuchi, Y., Inoue, K. and Nishimura, M. *Vesicle transport and processing of the precursor to 2S albumin in pumpkin* 793
Harrison, M.J. *see* Maxwell, C.A.
Harter, K., Talke-Messerer, C., Barz, W. and Schäfer, E. *Light- and sucrose-dependent gene expression in photomixotrophic cell suspension cultures and protoplasts of rape (*Brassica napus *L.)* 507

Hartog, M.V. *see* van Engelen, F.A.
Hau, T.L. *see* Zheng, Z.
Haudenshield, J.S. *see* Ding, B.
Hauffe, K.D., Lee, S.P., Subramaniam, R. and Douglas, C.J. *Combinatorial interactions between positive and negative cis-acting elements control spatial patterns of* 4CL-1 *expression in transgenic tobacco* 235
Heberle-Bors, E. *see* Hirt, H.
Heidmann, I. *see* Meyer, P.
Heidstra, R. *see* Horvath, B.
Hemerly, A.S. *see* Ferreira, P.C.G.
Hennig, J., Malamy, J., Grynkiewicz, G., Indulski, J. and Klessig, D.F. *Interconversion of the salicylic acid signal and its glucoside in tobacco* 593
Hennig, J., Dewey, R.E., Cutt, J.R. and Klessig, D.F. *Pathogen, salicylic acid and developmental dependent expression of a β-1,3-glucanase/GUS gene fusion in transgenic tobacco plants* 481
Héron, J.N. *see* Hansen, G.
Herrera-Estrella, L. *see* Guevara-García, A.
Herrmann, R.G. *see* Flieger, K.
Hesse, T. *see* Schwob, E.
Hird, D.L., Worrall, D., Hodge, R., Smartt, S., Paul, W. and Scott, R. *The anther-specific protein encoded by the* Brassica napus *and* Arabidopsis thaliana *A6 gene displays similarity to β-1,3-glucanases* 1023
Hirner, B. *see* Kwart, M.
Hirt, H., Páy, A., Bögre, L., Meskiene, I. and Heberle-Bors, E. cdc3MsB, *a cognate* cdc2 *gene from alfalfa, complements the G1/S but not the G2/M transition of budding yeast* cdc28 *mutants* 61
Hoch, B. *see* Freyer, R.
Hodge, R. *see* Hird, D.L.
Hodges, T.K. *see* Bhattacharyya-Pakrasi, M.
Höfte, H., Desprez, T., Amselem, J., Chiapello, H., Caboche, M., Moisan, A., Jourjon, M.-F., Charpenteau, J.-L., Berthomieu, P., Guerrier, D., Giraudat, J., Quigley, F., Thomas, F., Yu, D.-Y., Mache, R., Raynal, M., Cooke, R., Grellet, F, Delseny, M., Parmentier, Y., de Marcillac, G., Gigot, C., Fleck, J., Phillips, G., Axelos, M., Bardet, C., Tremousaygue, D. and Lescure, B. *An inventory of 1152 expressed sequence tags obtained by partial sequencing of cDNAs from* Arabidopsis thaliana 1051
Hoge, J.H.C. *see* Meijer, A.H.
Hoge, J.H.C. *see* Memelink, J.
Hoge, J.H.C. *see* Neuteboom, S.T.C.
Holton, T.A., Brugliera, F. and Tanaka, Y. *Cloning and expression of flavonol synthase from* Petunia hybrida 1003
Horvath, B., Heidstra, R., Lados, M., Moerman, M., Spaink, H.P., Promé, J.C., van Kammen, A. and Bisseling, T. *Lipo-oligosaccharides of* Rhizobium *induce infection-related early nodulin gene expression in pea root hairs* 727
Hulleman, E. *see* Neuteboom, S.T.C.
Hummel, S. *see* Kwart, M.
Hussey, P.J. *see* Rogers, H.J.
Hussey, P.J. *see* Staiger, C.J.
Hylton, C.M. *see* Denyer, K.

Iglesias, V.A. *see* Bilang, R.
Ikenaga, H. *see* Misawa, N.
Ilag, L. *see* Schwob, E.
Indulski, J. *see* Hennig, J.
Innes, R.W., Bisgrove, S.R., Smith, N.M., Bent, A.F., Staskawicz, B.J. and Liu, Y.-C. *Identification of a disease resistance locus in* Arabidopsis *that is functionally homologous to the* RPG1 *locus of soybean* 813
Inoue, K. *see* Hara-Hishimura, I.
Inze, D. *see* Ferreira, P.C.G.

Jensen, R.G. *see* Vernon, D.M.
John, M. *see* Schmidt, J.
Jones, J.D.G. *see* Parker, J.E.
Jordano, J. *see* Almoguera, C.
Jourjon, M.-F. *see* Höfte, H.

Kaniewska, M.B. *see* Bhattacharyya-Pakras, M.
Kapros, T. *see* Magyar, Z.
Kawagoe, Y. *see* Zheng, Z.
Kempers, R., Prior, D.A.M., Van Bel, A.J.E. and Oparka, K.J. *Plasmodesmata between sieve element and companion cell of extrafascicular stem phloem of* Cucurbita maxima *permit passage of 3 kDa fluorescent probes* 567
Klann E. *see* Chetelat, R.T.
Klap, J.C. *see* Goddijn, O.J.M.
Klein, L. *see* da Costa e Silva, O.
Klessig, D.F. *see* Hennig, J.
Knudsen, S. *see* Müller, M.
Knudsen, S. *see* Ramloch-Lorenz, K.
Kock, P. *see* Vorst, O.
Komeda, Y. *see* Araki, T.
Koncz, C. *see* Schmidt, J.
Konieczny, A. and Ausubel, F.M. *A procedure for mapping* Arabidopsis *mutations using co-dominant ecotype-specific PCR-based markers* 403
Konowicz, H. *see* Bhattacharyya-Pakrasi, M.
Kössel, H. *see* Freyer, R.
Kumar, A. *see* Brown, J.W.S.
Kwart, M., Hirner, B., Hummel, S. and Frommer, W.B. *Differential expression of two related amino acid transporters with differing substrate specificity in* Arabidopsis thaliana 993

Laco, G. *see* Bhattacharyya-Pakrasi, M.
Lados, M. *see* Horvath, B.
Lapidot, M., Gafny, R., Ding, B., Wolf, S., Lucas, W.J. and Beachy, R. N. *A dysfunctional movement protein of tobacco mosaic virus that partially modifies the plasmodesmata and limits virus spread in transgenic plants* 959
Laursen, N.B. *see* Ramlov, K.B.
Lawrence, G., Finnegan, J. and Ellis, J. *Instability of the* L^6 *gene for rust resistance in flax is correlated with the presence of a linked* Ac *element* 659
Leduc, N. *see* Bilang, R.
Lee, S.P. *see* Hauffe, K.D.
Lescure, B. *see* Höfte, H.
Letham, S. *see* Chaudhury, A.M.
Lev-Yadun, S. *see* Eyal, Y.
Lever, A. *see* Vorst, O.
Li, Z. *see* Zheng, Z.
Lin, A. *see* Zheng, Z.
Linden, H. *see* Misawa, N.
Lindsey, K. *see* Goddijn, O.J.M.
Lister, C. and Dean, C. *Recombinant inbred lines for mapping RFLP and phenotypic markers in* Arabidopsis thaliana 745
Lister, C. *see* Parker, J.E.
Liu, Y.-C. *see* Innes, R.W.
Llewellyn, D.J. *see* Ellis, J.G.
Lloyd, C.W. *see* Staiger, C.J.
Lópes Cardoso, M.I. *see* Meijer, A.H.
Lopez-Juez, E. *see* Sharma, R.
Lucas, M. *see* Misawa, N.
Lucas, W.J. *see* Ding, B.
Lucas, W.J. *see* Lapidot, M.
Lyon, J. *see* Brown, J.W.S.

Mache, R. *see* Dubald, M.
Mache, R. *see* Höfte, H.
Magyar, Z., Bakó, L., Bögre, L., Dedeoğlu, D., Kapros, T. and

Dudits, D. *Active* cdc2 *genes and cell cycle phase-specific cdc2-related kinase complexes in hormone-stimulated alfalfa cells* 151
Maier, R.M. *see* Freyer, R.
Malamy, J. *see* Hennig, J.
Mandaron, P. *see* Dubald, M.
Marcker, K.A. *see* Ramlov, K.B.
Marfà, V. *see* Bellincampi, D.
Martin, C. *see* Culianez-Macia, F.A.
Martin, T., Frommer, W.B., Salanoubat, M. and Willmitzer, L. *Expression of an* Arabidopsis *sucrose synthase gene indicates a role in metabolization of sucrose both during phloem loading and in sink organs* 367
Martínez-Izquierdo, J.A. *see* Rigau, J.
Marty, I., Brugidou, C., Chartier, Y. and Meyer, Y. *Growth-related gene expression in* Nicotiana tabacum *mesophyll protoplasts* 265
Maxwell, C.A., Harrison, M.J. and Dixon, R.A. *Molecular characterization and expression of alfalfa isoliquiritigenin 2'-O-methyltransferase, an enzyme specifically involved in the biosynthesis of an inducer of* Rhizobium meliloti *nodulation genes* 971
McCormac, A.C., Wagner, D., Boylan, M.T., Quail, P.H., Smith, H. and Whitelam, G.C. *Photoresponses of transgenic* Arabidopsis *seedlings expressing introduced phytochrome B-encoding cDNAs: evidence that phytochrome A and phytochrome B have distinct photoregulatory functions* 19
Meijer, A.H., Lopes Cardoso, M.I., Voskuilen, J.T., de Waal, A., Verpoorte, R. and Hoge, J.H.C. *Isolation and characterization of a cDNA clone from* Catharanthus roseus *encoding NADPH: cytochrome P-450 reductase, an enzyme essential for reactions catalysed by cytochrome P-450 mono-oxygenases in plants* 47
Meller, Y. *see* Eyal, Y.
Memelink, J., Swords, K.M.M., de Kam, R.J., Schilperoort, R.A., Hoge, J.H.C. and Staehelin, L.A. *Structure and regulation of tobacco extensin* 1011
Memelink, J. *see* Neuteboom, S.T.C.
Memon, A.R. *see* Clark, G.B.
Meskiene, I. *see* Hirt, H.
Messing, J. *see* Wu, L.
Meyer, P., Heidmann, I. and Neidenhof, I. *Differences in DNA-methylation are associated with a paramutation phenomenon in transgenic petunia* 89
Meyer, Y. *see* Marty, I.
Michel, D., Salamini, F., Bartels, D., Dale, P., Baga, M. and Szalay, A. *Analysis of a dessication and ABA-responsive promoter isolated from the resurrection plant* Craterostigma plantagineum 29
Migliaccio, F. *see* Schwob, E.
Misawa, N., Yamano, S., Linden, H., de Felipe, M.R., Lucas, M., Ikenaga, H. and Sandmann, G. *Functional expression of the* Erwinia uredovora *carotenoid biosynthesis gene* crtI *in transgenic plants showing an increase of β-carotene biosynthesis activity and resistance to the bleaching herbicide norflurazon* 833
Moerman, M. *see* Horvath, B.
Moffatt, B. *see* Rastogi, R.
Moisan, A. *see* Höfte, H.
Molina, A. and García-Olmedo, F. *Developmental and pathogen-induced expression of three barley genes encoding lipid transfer proteins* 983
Montoliu, L. *see* Rigau, J.
Morelli, G. *see* Carabelli, M.
Mosqueda-Cano, G. *see* Guevara-García, A.
Müller, M. and Knudsen, S. *The nitrogen response of a barley C-hordein promoter is controlled by positive and negative regulation of the GCN4 and endosperm box* 343
Murai, N. *see* Zheng, Z.
Nagatani, A. *see* Sharma, R.
Nakamura, M. *see* Youssefian, S.
Napier, R.M. *see* Rück, A.
Neckermann, K. *see* Freyer, R.
Neidenhof, I. *see* Meyer, P.
Neuteboom, S.T.C., Stoffels, A., Hulleman, E., Memelink, J., Schilperoort, R.A. and Hoge, J.H.C. *Interaction between the tobacco DNA-binding activity CBF and the* cyt-*1 promoter element of the* Agrobacterium tumefaciens *T-DNA gene T-*CYT *correlates with* cyt-*1 directed gene expression in multiple tobacco tissue types* 525
Nishimura, M. *see* Hara-Hishimura, I.

O'Malley, D.M., Whettan, R., Bao, W., Chen, C.-L. and Sederoff, R.R. *The role of laccase in lignification* 751
Oelmüller, R. *see* Flieger, K.
Okada, K. *see* Shiraishi, H.
Okita, T. *see* Zheng, Z.
Olsen, P.D. and Varner, J.E. *Hydrogen peroxide and lignification* 887
Oparka, K.J. *see* Kempers, R.

Palme, K. *see* Rück, A.
Palme, K. *see* Schwob, E.
Parker, J.E., Szabò, V., Staskawicz, B.J., Lister, C, Dean, C., Daniels, M.J. and Jones, J.D.G. *Phenotypic characterization and molecular mapping of the* Arabidopsis thaliana *locus* RPP5, *determining disease resistance to* Peronospora parasitica 821
Parmar, P.N. and Brearley, C.A. *Identification of 3- and 4-phosphorylated phosphoinositides and inositol phosphates in stomatal guard cells* 255
Parthier, B. *see* Reinbothe, S.
Paterson, A.H. *see* Wing, R.A.
Paul, W. *see* Hird, D.L.
Páy, A. *see* Hirt, H.
Peacock, W.J. *see* Ellis, J.G.
Peng, J. *see* Bhattacharyya-Pakrasi, M.
Permentier, Y. *see* Höfte, H.
Peto, C.A. *see* Cabrera y Poch, H.L.
Philipps, G. *see* Höfte, H.
Potrykus, I. *see* Bilang, R.
Prinsen, E. *see* Estruch, J.J.
Prior, D.A.M. *see* Kempers, R.
Promé, J.C. *see* Horvath, B.
Puigdomènech, P. *see* Rigau, J.
Pumfrey, J.E. *see* Furner, I.J.

Quail, P.H. *see* McCormac, A.C.
Quigley, F. *see* Höfte, H.

Ramloch-Lorenz, K., Knudsen, S. and Sturm, A. *Molecular characterization of the gene for carrot cell wall β-fructosidase* 545
Ramlov, K.B., Laursen, N.B., Stougaard, J. and Marcker, K.A. *Site-directed mutagenesis of the organ-specific element in the soybean leghemoglobin* lbc3 *gene promoter* 577
Rastogi, R., Back, E., Schneiderbauer, A., Bowsher, C.G., Moffatt, B. and Rothstein, S.J. *A 330 bp region of the spinach nitrite reductase gene promoter directs nitrate-inducible tissue-specific expression in transgenic tobacco* 317
Rastogi, V.K. *see* Wing, R.A.
Raynal, M. *see* Höfte, H.
Read, N.D. *see* Franklin-Tong, V.E.
Rechinger, K.B., Simpson, D.J., Svendsen, I. and Cameron-Mills, V. *A role for γ3 hordein in the transport and targeting of prolamin polypeptides to the vacuole of developing barley endosperm* 841

Redig, P. *see* Estruch, J.J.
Regenass, M. *see* Felix, G.
Reinbothe, C. *see* Reinbothe, S.
Reinbothe, S., Reinbothe, C. and Parthier, B. *Methyl jasmonate represses translation initiation of a specific set of mRNAs in barley* 459
Ride, J.P. *see* Franklin-Tong, V.E.
Rigau, J., Capellades, M., Montoliu, L., Torres, M.A., Romera, C., Martínez-Izquierdo, J.A., Tagu, D. and Puigdomènech, P. *Analysis of a maize α-tubulin gene promoter by transient expression and in transgenic tobacco plants* 1043
Robert, L.S. *see* Albani, D.
Rogers, H.J., Greenland, A.J. and Hussey, P.J. *Four members of the maize β-tubulin gene family are expressed in the male gametophyte* 863
Rohde, W. *see* Garcia-Maroto, F.
Rohde, W. *see* Wissenbach, M.
Röhrig H. *see* Schmidt, J.
Romera, C. *see* Rigau, J.
Rothstein, S.J. *see* Rastogi, R.
Roux, S.J. *see* Clark, G.B.
Ruberti, I. *see* Carabelli, M.
Rück, A., Palme, K., Venis, M.A., Napier, R.M. and Felle, H.H. *Patch-clamp analysis establishes a role for an auxin binding protein in the auxin stimulation of plasma membrane current in* Zea mays *protoplasts* 41

Salamini, F. *see* Garcia-Maroto, F.
Salamini, F. *see* Michel, D.
Salamini, F. *see* Wissenbach, M.
Salanoubat, M. *see* Martin, T.
Salvi, G. *see* Bellincampi, D.
Sandmann, G. *see* Misawa, N.
Sano, H. *see* Youssefian, S.
Sauer, N. and Stadler, R. *A sink-specific H⁺/monosaccharide co-transporter from* Nicotiana tabacum: *cloning and heterologous expression in baker's yeast* 601
Sautter, C. *see* Bilang, R.
Schäfer, E. *see* Harter, K.
Schell, J. *see* Schmidt, J.
Schilperoort, R.A. *see* Memelink, J.
Schilperoort, R.A. *see* Neuteboom, S.T.C.
Schindler, U., Beckmann, H. and Cashmore, A.R. *HAT3.1, a novel* Arabidopsis *homeodomain protein containing a conserved cysteine-rich region* 137
Schmelzer, E. *see* da Costa e Silva, O.
Schmidt, J., Röhrig, H., John, M., Wieneke, U., Stacey, G., Koncz, C. and Schell, J. *Alteration of plant growth and development by* Rhizobium nodA *and* nodB *genes involved in the synthesis of oligosaccharide signal molecules* 651
Schneiderbauer, A. *see* Rastogi, R.
Schuber, F. *see* Blée, E.
Schwarz-Sommer, Z. *see* Estruch, J.J.
Schwob, E., Choi, S.-Y., Simmons, C., Migliaccio, F., Ilag, L., Hesse, T., Palme, K. and Söll, D. *Molecular analysis of three maize 22 kDa auxin-binding protein genes – transient promoter expression and regulatory regions* 423
Scott, R. *see* Hird, D.L.
Sederoff, R.R. *see* O'Malley, D.M.
Segal, A. *see* Albani, D.
Sessa, G. *see* Carabelli, M.
Sharma, R., López-Juez, E., Nagatani, A. and Furuya, M. *Identification of photoinactive phytochrome A in etiolated seedlings and photo-active phytochrome B in green leaves of the* aurea *mutant of tomato* 1035
Shen, P. *see* Bhattacharyya-Pakrasi, M.
Shimura, Y. *see* Shiraishi, H.
Shiraishi, H., Okada, K. and Shimura, Y. *Nucleotide sequences recognized by the agamous MADS domain of* Arabidopsis thaliana *in vitro* 385
Sidebottom, C. *see* Denyer, K.
Sijmons, P.C. *see* Goddijn, O.J.M.
Simmonds, J. *see* Bilang, R.
Simmons, C. *see* Schwob, E.
Simpson, C. *see* Brown, J.W.S.
Simpson, D.J. *see* Rechinger, K.B.
Simpson, G.J. *see* Brown, J.W.S
Simpson, J. *see* Guevara-García, A.
Singh, K. *see* Ellis, J.G.
Singh, K.B. *see* Zhang, B.
Smart, C.C. and Fleming, A.J. *A plant gene with homology to* D-myo-*inositol-3-phosphate synthase is rapidly and spatially up-regulated during an abscisic-acid-induced morphogenesis response in* Spirodela polyrrhiza 279
Smartt, S. *see* Hird, D.L.
Smeekens, S. *see* Vorst, O.
Smith, A.M. *see* Denyer, K.
Smith, H. *see* McCormac, A.C.
Smith, N.M,. *see* Innes, R.W.
Söll, D. *see* Schwob, E.
Sommer, H. *see* Estruch, J.J.
Somssich, I.E. *see* Torres, J.T.
Sopory, S. *see* Flieger, K.
Spaink, H.P. *see* Horvath, B.
Spena, A. *see* Estruch, J.J.
Stacey, G. *see* Schmidt, J.
Stadler, R. *see* Sauer, N.
Staehelin, L.A. *see* Memelink, J.
Staiger, C.J., Goodbody, K.C., Hussey, P.J., Valenta, R., Drøbak, B.K. and Lloyd, C.W. *The profilin multigene family of maize: differential expression of three isoforms* 631
Staiger, D. and Apel, K. *Molecular characterization of two cDNAs from* Sinapsis alba *L. expressed specifically at an early stage of tapetum development* 697
Staskawicz, B.J. *see* Innes, R.W.
Staskawicz, B.J. *see* Parker, J.E.
Stoffels, A. *see* Neuteboom, S.T.C.
Stougaard, J. *see* Ramlov, K.B.
Sturm, A. *see* Ramloch-Lorenz, K.
Sturm, A. *see* van Engelen, F.A.
Subramaniam, R. *see* Hauffe, K.D.
Sussex, I.M. *see* Szymkowiak, E.J.
Svendsen, I. *see* Rechinger, K.B.
Szabò, V. *see* Parker, J.E.
Szalay, A. *see* Michel, D.
Szymkowiak, E.J. and Sussex, I.M. *Effect* of lateral suppressor *on petal initiation in tomato* 1

Tagu, D. *see* Rigau, J.
Takeuchi, Y. *see* Hara-Hishimura, I.
Talke-Messerer, C. *see* Harter, K.
Tanaka, Y. *see* Holton, T.A.
Tanksley, S.D. *see* Wing, R.A.
Tarczynski, M.C. *see* Vernon, D.M.
Taylor, B. *see* van Engelen, F.A.
Tempe, J. *see* Hansen, G.
Thomas, F. *see* Höfte, H.
Thomas, T.L. *see* van Engelen, F.A.
Thompson, G.A. *see* Clark, G.B.
Tokuhisa, J.G. *see* Ellis, J.G.
Tong, C.-G. *see* Clark, G.B.
Torres, J.T., Block, A., Hahlbrock, K. and Somssich, I.E. *Influence of bacterial strain genotype on transient expression of plasmid DNA in plant protoplasts* 587
Torres, M.A. *see* Rigau, J.
Tremousaygue, D. *see* Höfte, H.

Trewavas, A.J. *see* Franklin-Tong, V.E.
Trezzini, G.F. *see* da Costa e Silva, O.
Truchet, G. *see* Vasse, J.
Tyagi, A. *see* Flieger, K.

Überlacker, B. *see* Wissenbach, M.
Ueda, T. *see* Wu, L.

Valenta, R. *see* Staiger, C.J.
Van Bel, A.J.E. *see* Kempers, R.
van der Lee F.M. see Goddijn, O.J.M.
van Engelen, F.A., Hartog, M.V., Thomas, T.L., Taylor, B., Sturm, A., van Kammen, A. and de Vries, S.C. *The carrot secreted glycoprotein gene* EP1 *is expressed in the epidermis and has sequence homology to* Brassica *S-locus glycoproteins* 855
van Kammen, A. *see* Horvath, B.
van Kammen, A. *see* van Engelen, F.A.
Van Montagu, M. *see* Ferreira, P.C.G.
Van Onckelen, H. *see* Estruch, J.J.
van Tunen, A.J. *see* Angenent, G.C.
Varner, J.E. *see* Olsen, P.D.
Vasse, J., de Billy, F. and Truchet, G. *Abortion of infection during the* Rhizobium meliloti-*alfalfa symbiotic interaction is accompanied by a hypersensitive reaction* 555
Vaubert, D. *see* Hansen, G.
Venis, M.A. *see* Rück, A.
Verma, D.P.S. *see* Delauney, A.J.
Vernon, D.M., Tarczynski, M.C., Jensen, R.G. and Bohnert, H.J. *Cyclitol production in transgenic tobacco* 199
Verpoorte, R. *see* Meijer, A.H.
Vogt, F. *see* Wissenbach, M.
Vorst, O., Kock, P., Lever, A., Weterings, B., Weisbeek, P. and Smeekens, S. *The promoter of the* Arabidopsis thaliana *plastocyanin gene contains a far upstream enhancer-like element involved in chloroplast-dependent expression* 933
Voskuilen, J. T. *see* Meijer, A.H.

Wagner, D. *see* McCormac, A.C.
Wasserman, B.P. *see* Wu, A.
Weisbeek, P. *see* Vorst, O.
Wen, F. *see* Bhattacharyya-Pakrasi, M.
Weterings, B. *see* Vorst, O.
Whettan, R. *see* O'Malley, D.M.
Whitelam, G.C. *see* McCormac, A.C.
Wieneke, U. *see* Schmidt, J.
Willmitzer, L. *see* Ding, B.
Willmitzer, L. *see* Martin, T.
Wing, R.A., Rastogi, V.K., Zhang, H.-B., Paterson, A.H. and Tanksley, S.D. *An improved method of plant megabase DNA isolation in agarose microbeads suitable for physical mapping and YAC cloning* 893
Wissenbach, M., Überlacker, B., Vogt, F., Becker, D., Salamini, F. and Rohde, W. Myb *genes from* Hordeum vulgare: *tissue-specific expression of chimeric* Myb *promoter/*Gus *genes in transgenic tobacco* 411
Wolf, S. *see* Lapidot, M.
Worrall, D. *see* Hird, D.L.
Wu, A. and Wasserman, B.P. *Limited proteolysis of (1,3)-β-glucan (callose) synthase from* Beta vulgaris *L: topology of protease-sensitive sites and polypeptide identification using Pronase E* 683
Wu, L., Ueda, T. and Messing, J. *3'-end processing of the maize 27 kDa zein mRNA* 535

Xiao, S. *see* Zheng, Z.

Yamano, S. *see* Misawa, N.
Yelle, S. *see* Chetelat, R.T.
Youssefian, S., Nakamura, M. and Sano, H. *Tobacco plants transformed with the* O-*acetylserine (thiol) lyase gene of wheat are resistant to toxic levels of hydrogen sulphide gas* 759
Yu, D.-Y. *see* Höfte, H.

Zhang, B. Foley, R.C. and Singh, K.B. *Isolation and characterization of two related* Arabidopsis *ocs-element bZIP binding proteins* 711
Zhang, H.-B. *see* Wing, R.A.
Zhang, S. *see* Bilang, R.
Zheng, Z., Kawagoe, Y., Xiao, S., Li, Z., Okita, T., Hau, T.L., Lin, A. and Murai, N. *5' distal and proximal* cis*-acting regulator elements are required for developmental control of a rice seed storage protein glutelin gene* 357

Subject index

α-tubulin 1043
A1 gene 89
ABA 29
abiotic stress 983
abscisic acid 279
Ac 659
actin 631
AGAMOUS 385
Agrobacterium rhizogenes 581
Agrobacterium tumefaciens 525
albino 917
2S albumin 793
alfalfa 151, 555
allelic interaction 89
amino acid transport 993
anther-specific 1023
antibodies 41
Antirrhinum 717
antisense RNA 883, 1011
Arabidopsis 137, 367, 403, 711, 745, 671, 813
Arabidopsis (transgenic) 19
Arabidopsis thaliana 81, 385, 469, 801, 863, 907, 933
aurea mutant 1035
auxin 41, 423
avirulence gene 813
avrB 813

β-1,3-glucanase 1023
(1,3)-β-glucan(callose)synthase(UDP-glucose) 683
β-carotene 833
β-glucuronidase 317, 367
β-tubulin 875
badnavirus 71
barley 459, 983
Beta vulgaris L. 683
bleaching herbicide 833
Brassica napus 507, 1023
bZIP 711

4-coumarate:CoA ligase 235
Ca^{2+} 163
callase 1023
cambium 947
carbohydrate metabolism 643
carotenoid 833
carrot 855
Catharanthus roseu 47
cdc2 61, 151
cdc2-related kinase 151
cDNA cloning 47
cell culture 507
cell
  death 327
  division 61
  elongation 469
  signalling 255
cell cycle 81
  control 61
cell wall B-fructosidase 545
cell wall invertase 303, 545
cell wall proteins 1011
cereal seed storage protein 357
cereals 735
channel proteins 717
chemoperception 307
chimeric constructs 525
chimera 1
chimeric 917
chitin 295
chitinase 295
chitooligosaccharide deacetylase 651
chitooligosaccharides 307
chloroplasts 621
chromophore 1035
chromosome 899
circadian clock 611
cis-elements 9
cis-regulatory elements 495
confocal microscopy 163
Cucurbita maxima 567
cultured cell 1051
cutin 113
cysteine 759
cysteine synthase 759
cysteine-rich PhD finger 137
cytochrome P-450 monooxygenases 47
cytokinin 379, 907
cytoskeleton 631

D-*myo*-inositol-3-phosphate synthase 279
dark flowering 801
de-etiolation 19
defence mechanisms 555
Deficiens 771
dehydrogenation polymer 751
dense vesicle 793
desiccation 29
developmental regulation 1003
4,4'-dihydroxy-2'-methoxychalcone 971
disease resistance 659, 813
disulphide bridge 841
DNA binding 771
  motif 525
  protein 125, 385, 771
DNA–protein interaction 525
DNA-repair 705
downy mildew 821

early nodulin genes 727
electrical response 41
electroporation 71, 535
elicitation 971
elicitor responsive PR promoters 587
end-of-day-far-red response 469
endoplasmic reticulum 423
enhancer elements 433
enzyme activity 781
epidermis 855
epitope mapping 841
epoxide hydrolase 113
Erwinia uredovora 833
ethylene 327
etiolated seedlings 1051
explants 207
extensin 1011
extrafascicular phloem 567

fatty acid hydroperoxides 113
flavonol synthase 1003
floral development 379
flower
  bud 1051
  colour 1003
  development 1, 385, 771
  organogenesis 101
flowering initiation 801
fluorescent probe 567
frequency distance 917
functional expression 833
fungal glucan 517

γ-glutamyl phosphate 215
gel retardation assay 225, 611
gene
  expression 9, 265, 433, 469, 507, 717
  promoter 317
  regulation 47
  tagging 659, 863
genetic diversity 403
genetic map 821
giant cell 863
glutelin 357
glycine-rich 517
  protein 517
gold cytochemistry 295
growth 265
Gt1 357
GUS 71
GUS reporter gene 587

hairy root 581
HD-Zip protein family 469
heat-shock protein 947
Heterodera schachtii 863
histone promoter 445
homeodomain 137
homeotic gene 101, 379 , 771
hordein 343
Hordeum vulgare 411, 841
Hordeum vulgare L. cv. Salome 459
hormone-activated transcription 151
HPLC 255
HRGPs 1011
hydrogen peroxide 887
hydrogen sulphide 759
hypersensitive reaction 555
hypersensitive response 821

immature seed 1051
immunocytochemistry 781, 841
immunolocalization 947
in situ hybridization 781
in vitro protein synthesis 459
in vivo footprinting 445
infection 727
initiation of translation 459
inositol 199, 279
  phosphates 255
invertase 643
ipt 379

laccase 751
leaf development 671
leucine zipper 711

light
  and sucrose 507
  regulation 611
light responsive promoters 587
light-induced gene expression 705
light-regulated genes 801
light-responsive elements 9
lignification 887
lignin 751
limited proteolysis (trypsin and Pronase E) 683
Linum usitatissimum 659
lipid transfer proteins 983
lipo-oligosaccharides 727
lipoxygenase 113
LMPCR 445
Lycopersicon hirsutum 643

MADS box 101, 385, 771
maize 535, 621, 631, 875, 1043
male gametophyte 875
mannopine synthase 495
mapping 745
markers 403
Medicago sativa 61, 971
Melampsora lini 659
Meloidogyne incognita 863
membrane 71, 255
methyl jasmonate 459
methyl transferase 199
methylation 89
micro-targeting 735
microbeads 893
microdissection 899
microinjection 163
microprojectiles 735
microsomes 399
microspore 1023, 1053
modification 101
monoclonal antibodies 841
monomeric G protein 399
monosaccharide transporter 601
morphogenesis 207, 279
movement protein 959
mRNA 535
MST1 protein 601
mutation 659
myb-related genes 411

NADPH: cytochrome P-450 reductase 47
negative-regulatory elements 495
Nicotiana monosaccharide transport 601
Nicotiana tabacum 265, 581, 959
nitrate-inducibility 317
nitrite reductase 317
nitrogen
  partitioning 993
  regulation 343
Nod factors 727
nodulation 971
  genes 651
nonhost resistance 813
norflurazon 833
nuclear DNA-binding activity 125

O-acetylserine (thiol) lyase 759
OBF protein 711
ocs element 433, 495, 711

oligogalacturonides 207
opportunistic infection 327
organ specific element 577
osmoprotection 199
osmoregulation 215
osmotic stress 199
oxygenated fatty acids 113

35S promoter 581
P5C synthetase 215
paramutation 89
parsley 235
  protoplasts 587
particle bombardment 343
patch-clamp 41
pathogen-induced gene activation 125
pathogenesis-related proteins 225, 481
PCR 403, 899
peroxidase 751, 887
peroxygenase 113
petunia 101
Petunia hybrida 89, 1003
phenylalanine ammonia-lyase 125, 235
phenylpropanoid metabolism 235
phloem loading 367
phloem-specific promoter 71
phosphatase 1 81
phosphoinositides 255
photomorphogenesis 671, 907, 1043
photoreactivation 705
photoregulation 1035
photosystem I 9
phyB cDNA (rice, *Arabidopsis*) 19
phyllotaxy 907, 917
physical mapping 893
phytochrome 19, 1035
phytohormone 41
Pisum sativum 399
pith rays 411
plant
  disease resistance 125
  embryos (*Pisum sativum* L.) 191
  homeotic gene 385
  megabase DNA 893
  mosaics 367
  pathogens 983
  photolyase 705
  promoter 1043
plasma membrane 683
plasmodesmata 567
plastocyanin 933
pollen 631
  tubes 163
polyadenylation 535
polymorphism 403
polysome runoff translation 459
positive regulating element (PRE) 933
potato 771
PR gene 593
PR gene expression 593
PR-2 481
primordium 917
proB 215
processing 621
profilin 631
prolamin
  element 343
  gene promoter 343
proline biosynthesis 215
promoter 29, 235, 423
  activity 781
  analysis 9, 545
  sequence 433
proprotein processing 793
protein
  body 793
  phosphorylation 307
proton symport 993
protoplasts 265, 423, 507, 535
psaF 9
Pseudomonas syringae 813

RACE 125
RAPDs 821
receptor 41, 423
recombinant inbred lines 745, 821
red:far red ratio 19
refractory state 307
regulation 367
regulatory elements 445
resurrection plant 29
reverse transcription-polymerase chain reaction 883
RFLPs 643, 821
Rhizobium 727
Rhizobium meliloti 555, 651
Rhizobium–legume symbiosis 971
Rhizoctonia solani 295
rice 71, 735
RNA editing 621
roots 207, 947
  hairs 727

S-locus glycoprotein 855
salicylic acid 593
Schizosaccharomyces pombe 81
secondary plasmodesmata 179
secreted glycoprotein 855
seedling 717
self-incompatibility 163
senescence 179, 327
sepal 917
serine/threonine protein kinase 61
signal transduction 163, 307, 593
silique 1051
Sinapsis alba L. 705
sink-specific transporter 601
site-specific mutagenesis 577
sorghum 735
soybean leghemoglobin genes 577
Spirodela polyrrhiza 279
splicing 621
starch
  branching enzyme 191
  granules 191
  sheath 411
  synthase 191
stem 947
stomatal guard cells 255
storage protein 343
subunit III of photosystem I 9
sucrose synthase 367
sugar
  alcohol 199
  composition 643
sulphur 759
suspension culture 855

symbiosis 555
syncytium 863
synthetic oligopeptides 841
systemic acquired resistance 593

T-*cyt* gene 525
T-DNA gene 581
tapetum 1023
terpenoid indole alkaloids 47
tissue
  printing 983
  specific expression 225, 317, 631
  specific gene expression 855
tobacco 179, 207, 367, 517
  mosaic virus 481, 959
  transformation 1043
tomato 1, 643, 1035
transacting factor 525
transcription factors 433, 445, 611
transcription regulation 225, 933
transgenic 959
  Lotus corniculatus 577
  plants 71, 199, 225, 295, 545, 581, 883, 1043
  tobacco 29, 317, 525, 651, 781
transgenics 379
transient expression 29, 545, 587, 1043
turion 279

ultrastructure 295
UV-light 705
UV-mediated crosslinking 611

vacuole 793
vascular expression 235
vegetative shoot apical meristems 735
vesicle transport 793

water stress 947
wheat 735, 899
  cys1 759
wood 751
wound-inducibility 495
wounding 265, 887

xylanase 307
xylogenesis 751

yeast artificial chromosome cloning 893
yeast invertase 179

Zea mays 423
zein 535